

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	((GEORGE) near2 (POPESCU)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/25 14:01
S2	83	((ZHEN) near2 (LIU)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/18 09:06
S3	2	((SAMBIT) near2 (SAHU)).INV.	USPAT; USOCR	OR	ON	2007/09/18 09:06
S4	1	"20050120105"	US-PGPUB; USPAT	OR	ON	2007/09/18 09:21
S5	6446	709/223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/20 18:08
S6	9	((GEORGE) near2 (POPESCU)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/18 14:19
S7	83	((ZHEN) near2 (LIU)).INV.	US-PGPUB; USPAT	OR	ON	2007/09/18 10:32
S8	2	((SAMBIT) near2 (SAHU)).INV.	USPAT; USOCR	OR	ON	2007/09/18 10:32
S9	1	"20050120105"	US-PGPUB; USPAT	OR	ON	2007/09/18 10:32
S10	86	S6 S7 S8 S9	US-PGPUB; USPAT	OR	ON	2007/09/18 10:33
S11	7	S5 AND S10	US-PGPUB; USPAT	OR	ON	2007/09/18 11:03
S12	1411	(network\$3 cluster\$3) SAME (node computer server)	US-PGPUB; USPAT	AND	ON	2007/09/18 10:41
S13	1392	(select\$3 choos\$3 pick\$3 obtain\$3 form\$3) AND (attributes characteristics selections choices constraints interests)	US-PGPUB; USPAT	AND	ON	2007/09/18 10:52
S14	0	S5 AND S12 AND S13	US-PGPUB; USPAT	OR	ON	2007/09/18 10:56
S15	5	S12 AND S13	US-PGPUB; USPAT	OR	ON	2007/09/18 10:56
S16	56229	SELECT AND Cluster\$3	US-PGPUB; USPAT	OR	ON	2007/09/18 11:03
S17	3369	SELECT WITH Cluster\$3	US-PGPUB; USPAT	OR	ON	2007/09/18 11:03
S18	58	S17 AND S5	US-PGPUB; USPAT	OR	ON	2007/09/18 11:04
S19	58	S18 AND ad@<= "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 11:06

S20	39951	(construct build design) WITH (map layout)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:03
S21	0	S19 AND S20	US-PGPUB; USPAT	OR	ON	2007/09/18 11:06
S22	58	S19 AND S5	US-PGPUB; USPAT	OR	ON	2007/09/18 11:23
S23	58	S18 AND S5	US-PGPUB; USPAT	OR	ON	2007/09/18 11:25
S24	1749	S5 AND Map	US-PGPUB; USPAT	OR	ON	2007/09/18 11:25
S25	270	S24 AND cluster	US-PGPUB; USPAT	OR	ON	2007/09/18 11:25
S26	179	S25 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:35
S27	0	S26 AND muticast	US-PGPUB; USPAT	OR	ON	2007/09/18 11:42
S28	155	S5 AND multicasting	US-PGPUB; USPAT	OR	ON	2007/09/18 12:00
S29	105	S28 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 14:02
S30	21	S29 AND Cluster	US-PGPUB; USPAT	OR	ON	2007/09/18 11:54
S31	2	S30 AND Vector	US-PGPUB; USPAT	OR	ON	2007/09/18 11:54
S32	8786	709/223.ccls. 709/225.ccls 709/226.ccls. 709/226.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/18 12:08
S33	50	("20050120105" "6061335" "5535213" "5832222" "5754938" "5754939" "5835087" "6029195" "6195622" "6460036" "5402478" "5486836" "5682460" "5838207" "6044075" "6047219" "6185193" "6330586" "20040246900" "20040246901" "20040246904" "6433835" "7219048" "7225421" "20050063313" "20050134935" "20060190899" "5704017" "5732192" "5778362" "6336108" "6345265" "6408290" "6496816" "6529891" "6807537" "6880002" "6918067" "20030051021" "20030065632" "20030110398" "20050080773" "20050149459" "20060106847" "20060212556" "20070053297" "4633430"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:11

		"4996662" "5315709" "5388133" ).pn.				
S34	38	S33 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/28 12:23
S35	2835	"38" AND S32	US-PGPUB; USPAT	OR	ON	2007/09/18 12:16
S36	933	S35 AND map	US-PGPUB; USPAT	OR	ON	2007/09/18 12:17
S37	794	S36 AND (attributes values)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:17
S38	793	S37 AND (application medium software)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:18
S39	402	S36 AND (clustering OR networking)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:19
S40	901	S36 AND (node server)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:35
S41	116	S36 AND Vector	US-PGPUB; USPAT	OR	ON	2007/09/18 12:20
S42	106883	S41 (extracting getting receiving)	US-PGPUB; USPAT	OR	ON	2007/09/18 12:19
S43	91	S41 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:36
S44	402	S39 AND S32	US-PGPUB; USPAT	OR	ON	2007/09/18 12:37
S45	4103865	43AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:35
S46	303	S44 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:37
S47	402	S39 AND S32	US-PGPUB; USPAT	OR	ON	2007/09/18 12:37
S48	303	S47 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/18 12:37
S50	371	(obtain\$3 get\$3 read\$3) near5 (user network) same (interest AND attributes vector AND feature)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:09
S51	159	709/223.ccls. 709/230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/20 18:08
S52	2	S50 AND S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/20 18:08
S53	860010	(network cluster delay near3 map)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:26
S54	335	S53 AND S50	US-PGPUB; USPAT	OR	ON	2007/09/20 18:11
S55	2	S50 AND S51	US-PGPUB; USPAT	OR	ON	2007/09/20 18:13

S56	22517	709/206.ccls. 709/202.ccls. 709/204.ccls. 709/207.ccls. 709/223.ccls. 709/224.ccls. 709/230.ccls. 715/50.ccls. 715/526.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/20 18:56
S57	6	S50 AND S56	US-PGPUB; USPAT	OR	ON	2007/09/20 18:18
S58	21430	S53 AND S56	US-PGPUB; USPAT	OR	ON	2007/09/20 18:19
S59	18883	S58 AND (Vector path way bandwidth)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:20
S60	36952	(quality near2 service)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:20
S61	2193	S59 AND S60	US-PGPUB; USPAT	OR	ON	2007/09/20 18:20
S62	1461	S61 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:30
S63	196532	(computer near2 media)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:28
S64	554	S62 AND S63	US-PGPUB; USPAT	OR	ON	2007/09/20 18:22
S65	1279860	(user client)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:23
S66	544	S64 AND S65	US-PGPUB; USPAT	OR	ON	2007/09/20 18:29
S67	881338	(network\$3 cluster\$3 delay near3 map\$3)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:27
S68	21472	S67 AND S66	US-PGPUB; USPAT	OR	ON	2007/09/20 18:27
S69	13699	S68 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:27
S70	12095	S69 AND (vector path way bandwidth)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:28
S71	0	S66 AND (clustering near2 network SAME Maps)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:30
S72	32	(clustering near2 network SAME Maps)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:43
S73	19	S72 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:45
S74	2	S72 AND S56	US-PGPUB; USPAT	OR	ON	2007/09/20 18:30
S75	29	S72 AND (subspace space capacity range)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:38
S76	16	S75 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:32
S77	22662	(clustering networking) near3 (users computers nodes)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:35
S78	2	S76 AND S77	US-PGPUB; USPAT	OR	ON	2007/09/20 18:38
S79	2	S73 AND S77	US-PGPUB; USPAT	OR	ON	2007/09/20 18:38

S80	541	(clustering networking) near2 (constraints requirements)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:45
S81	59	S56 AND S80	US-PGPUB; USPAT	OR	ON	2007/09/20 18:45
S82	44	S81 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:56
S83	1049	"L44" AND (user application)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:48
S84	1316	"L33" AND (user application)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:48
S85	43	S82 AND (user application)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:55
S86	9515	(vector WITH network)	US-PGPUB; USPAT	OR	ON	2007/09/20 18:56
S87	277	S56 AND S86	US-PGPUB; USPAT	OR	ON	2007/09/20 18:56
S88	168	S87 AND @ad< = "20030112"	US-PGPUB; USPAT	OR	ON	2007/09/20 18:58
S89	74	(Clustering Networking) AND S88	US-PGPUB; USPAT	OR	ON	2007/09/20 18:59
S90	40	S89 AND Attributes	US-PGPUB; USPAT	OR	ON	2007/09/20 18:59
S91	298	Horvitz.IN.	US-PGPUB; USPAT	OR	ON	2007/09/24 11:49
S92	116	S91 AND @ad< = "20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:06
S93	68	S92 AND Vector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:03
S94	16	S93 AND cluster\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 12:56
S95	7	S94 AND attribute	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:00
S96	3	S95 AND obtain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:00

S97	0	S92 AND (obtaining near3 attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:03
S98	1344	(obtaining near3 attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:11
S99	527	(clustering near3 nodes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:04
S100	1	S98 AND S99	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:04
S101	756	S98 AND @ad< = "20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:13
S102	3021907	S98 (distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:07
S103	176	S101 AND (distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:09
S104	19	S103 AND game	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:09
S105	2562	(obtaining network near3 attributes) AND (application near3 attributes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:12
S106	1426	S105 AND @ad< = "20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:29
S107	716	S106 AND (vector weight)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:21

S108	15	S104 AND (vector weight)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:33
S109	7	S108 AND (metrics constraints)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:29
S110	0	S109 AND subspace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:29
S111	5	S106 AND subspace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:35
S112	0	S106 AND (weighted near2 distance) AND (path)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:34
S113	0	S106 AND (weighted near2 distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:34
S114	10677901	S106 AND fusion method	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:35
S115	21	S106 AND fusion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:38
S116	1	S106 AND (path near2 loss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:37
S117	21	S115 AND application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:38
S118	2639	(multi near2 vector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:35

S119	13830	(obtaining relieving reading accessing getting attaining) near2 (attribute characterisitic option selection interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:27
S120	16	S118 AND S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 13:49
S121	52741	(obtaining relieving reading accessing getting attaining) near3 (application software program near2 attribute characterisitic option selection interest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:32
S122	2308	(forming near3 maps)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:33
S123	35	S121 AND S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:29
S124	19	S123 AND @ad<="20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:32
S125	6	S124 AND attributes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:31
S126	54058	(obtaining relieving reading accessing getting attaining) near3 (application software program near2 attribute characteristic option selection interest criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:53
S127	32023	S126 AND @ad<="20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:35
S128	20	S122 AND S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:35



S129	17948	709/223.ccls. 709/224.ccls. 709/218.ccls. 709/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:52
S130	1072	S129 AND S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:35
S131	1072	S130 AND @ad<="20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:52
S132	2	S131 AND S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:35
S133	12158	S129 AND @ad<="20030112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:52
S134	116426	(obtaining recieving reading accessing getting attaining) near3 (user application program network near2 attribute criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:56
S135	8531	network near3 maps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:56
S136	8531	network near3 map	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:56
S137	38345	vector near2 based	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:57
S138	160396	nodes near5 nodes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:57
S139	0	S138 AND S137 AND S136 AND S134 AND S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:58

S140	140	S135 AND S137 AND S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:58
S141	20	S140 AND S134	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:09
S142	2674	S134 AND S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 14:58
S143	5	"673811".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:09
S144	2	"6738811".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 15:11
S145	50	("20050120105" "6061335" "5535213" "5832222" "5754938" "5754939" "5835087" "6029195" "6195622" "6460036" "5402478" "5486836" "5682460" "5838207" "6044075" "6047219" "6185193" "6330586" "20040246900" "20040246901" "20040246904" "6433835" "7219048" "7225421" "20050063313" "20050134935" "20060190899" "5704017" "5732192" "5778362" "6336108" "6345265" "6408290" "6496816" "6529891" "6807537" "6880002" "6918067" "20030051021" "20030065632" "20030110398" "20050080773" "20050149459" "20060106847" "20060212556" "20070053297" "4633430" "4996662" "5315709" "5388133" ).pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 14:01

S146	38	S145 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 14:50
S147	19	S146 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 14:13
S148	33	S146 AND attribute	US-PGPUB; USPAT	OR	ON	2007/09/25 14:21
S149	18	S148 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 14:21
S150	12	S146 AND (network near2 attribute)	US-PGPUB; USPAT	OR	ON	2007/09/25 14:21
S151	7	S150 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 14:22
S152	6	(forming WITH attributes near3 constraint)	US-PGPUB; USPAT	OR	ON	2007/09/25 14:49
S153	2216402	(forming WITH attributes characteristic criteria near3 constraint rule)	US-PGPUB; USPAT	OR	ON	2007/09/25 14:49
S154	2052889	(forming WITH attributes characteristic criteria near3 constraint rule near2 map)	US-PGPUB; USPAT	OR	ON	2007/09/25 14:50
S155	22540	709/206.ccls. 709/202.ccls. 709/204.ccls. 709/207.ccls. 709/223.ccls. 709/224.ccls. 709/230.ccls. 715/50.ccls. 715/526.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/25 15:40
S156	8351	S154 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 14:50
S157	5312	S156 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:02
S158	588318	(application program near2 attribute criteria rule) AND (network cluster near2 attribute criteria rule) AND (user near2 attribute criteria rule)	US-PGPUB; USPAT	OR	ON	2007/09/25 14:52
S159	2840	S158 AND S157	US-PGPUB; USPAT	OR	ON	2007/09/25 14:52
S160	950	S159 AND delay	US-PGPUB; USPAT	OR	ON	2007/09/25 14:58
S161	530	S160 AND bandwidth	US-PGPUB; USPAT	OR	ON	2007/09/25 14:53
S162	130	S161 AND cluster\$3	US-PGPUB; USPAT	OR	ON	2007/09/25 14:53
S163	64	S162 AND interest	US-PGPUB; USPAT	OR	ON	2007/09/25 14:55
S164	9	S163 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 14:55
S165	3586	multi near3 vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:03
S166	7	S165 AND S160	US-PGPUB; USPAT	OR	ON	2007/09/25 14:59

S167	41	S165 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:02
S168	19	S167 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:04
S169	83	multi near2 type near2 vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:05
S170	38	S169 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:05
S171	0	S170 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:04
S172	24235	multi near2 type	US-PGPUB; USPAT	OR	ON	2007/09/25 15:05
S173	16291	S172 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:20
S174	1315	S173 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:14
S175	7	S174 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:07
S176	83	S173 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:11
S177	526	S174 AND map	US-PGPUB; USPAT	OR	ON	2007/09/25 15:15
S178	526	S174 AND map	US-PGPUB; USPAT	OR	ON	2007/09/25 15:15
S179	2	S178 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:17
S180	165	(select\$3 near5 (cluster near2 method))	US-PGPUB; USPAT	OR	ON	2007/09/25 15:42
S181	4	S180 AND S155	US-PGPUB; USPAT	OR	ON	2007/09/25 15:19
S182	1	S181 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:19
S183	101	S180 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:44
S184	44	S183 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:25
S185	23390	709/206.ccls. 709/202.ccls. 709/204.ccls. 709/207.ccls. 709/223.ccls. 709/224.ccls. 709/230.ccls. 715/50.ccls. 715/526.ccls. 709/209.ccls. 709/208.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/25 15:40
S186	6	S180 AND S185	US-PGPUB; USPAT	OR	ON	2007/09/25 15:41
S187	3	S186 AND attribute	US-PGPUB; USPAT	OR	ON	2007/09/25 15:44
S188	977307	(method near5 (cluster\$3 near2 node computer component device server))	US-PGPUB; USPAT	OR	ON	2007/09/25 15:43
S189	15663	S188 AND S185	US-PGPUB; USPAT	OR	ON	2007/09/25 15:44

S190	9813	S189 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 17:10
S191	2952	S190 AND attribute	US-PGPUB; USPAT	OR	ON	2007/09/25 15:44
S192	548	S191 AND constraint	US-PGPUB; USPAT	OR	ON	2007/09/25 15:45
S193	98	S192 AND vector	US-PGPUB; USPAT	OR	ON	2007/09/25 15:49
S194	9710	709/223.ccls. 709/230.ccls. 709/209.ccls. 709/208.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/25 17:37
S195	44	S193 AND S194	US-PGPUB; USPAT	OR	ON	2007/09/25 15:57
S196	44	S195 AND (attribute characteristic)	US-PGPUB; USPAT	OR	ON	2007/09/25 15:58
S197	51	S183 AND S188	US-PGPUB; USPAT	OR	ON	2007/09/25 15:58
S198	44	S196 AND S188	US-PGPUB; USPAT	OR	ON	2007/09/25 16:04
S199	1151	(obtain\$3 WITH application WITH attributes)	US-PGPUB; USPAT	OR	ON	2007/09/25 16:05
S200	0	S199 AND S147	US-PGPUB; USPAT	OR	ON	2007/09/25 16:05
S201	29	S199 AND S194	US-PGPUB; USPAT	OR	ON	2007/09/25 16:13
S202	29	S201 AND attribute	US-PGPUB; USPAT	OR	ON	2007/09/25 16:14
S203	9	S202 AND map	US-PGPUB; USPAT	OR	ON	2007/09/25 16:17
S204	7	S203 AND constraint	US-PGPUB; USPAT	OR	ON	2007/09/25 16:56
S205	49	"5928335"	US-PGPUB; USPAT	OR	ON	2007/09/25 16:57
S206	1	"5928335".pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 16:58
S207	1	"6018805".pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 16:59
S208	1	"5655015".pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 16:59
S209	1	"5790789".pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 17:00
S210	88	"6088659"	US-PGPUB; USPAT	OR	ON	2007/09/25 17:00
S211	1	"6088659".pn.	US-PGPUB; USPAT	OR	ON	2007/09/25 17:01
S212	3164736	(construct\$3 mak\$3 creat\$3 near3 delay)	US-PGPUB; USPAT	OR	ON	2007/09/25 17:06
S213	2173850	(user near2 attribute criteria characteristic)	US-PGPUB; USPAT	OR	ON	2007/09/25 17:08
S214	2170910	(network near2 attribute criteria characteristic)	US-PGPUB; USPAT	OR	ON	2007/09/25 17:09

S215	1469399	S212 AND S213 AND S214	US-PGPUB; USPAT	OR	ON	2007/09/25 17:09
S216	3700	S215 AND S194	US-PGPUB; USPAT	OR	ON	2007/09/25 17:09
S217	2550	S216 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 17:34
S218	383	(cluster\$3) AND S217	US-PGPUB; USPAT	OR	ON	2007/09/25 17:21
S219	2305	(multi near2 vector)	US-PGPUB; USPAT	OR	ON	2007/09/25 17:14
S220	0	S219 AND S218	US-PGPUB; USPAT	OR	ON	2007/09/25 17:15
S221	817	(quality near2 service) WITH constraints	US-PGPUB; USPAT	OR	ON	2007/09/25 17:15
S222	2	S221 AND S219	US-PGPUB; USPAT	OR	ON	2007/09/25 17:16
S223	0	S222 AND S218	US-PGPUB; USPAT	OR	ON	2007/09/25 17:22
S224	1	S221 AND S218	US-PGPUB; USPAT	OR	ON	2007/09/25 17:34
S225	0	cluster\$3 WITH based near2 attributes	US-PGPUB; USPAT	OR	ON	2007/09/25 17:34
S226	169	cluster\$3 WITH based near2 attributes	US-PGPUB; USPAT	OR	ON	2007/09/25 17:34
S227	96	S226 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/25 17:34
S228	1183	"98" AND S194	US-PGPUB; USPAT	OR	ON	2007/09/25 17:37
S229	1	S227 AND S194	US-PGPUB; USPAT	OR	ON	2007/09/25 17:52
S230	4	(user near2 (interest habit trend))AND((network AND application) near2 manag\$7) SAME (criteria OR summary)	US-PGPUB; USPAT	OR	ON	2007/09/25 17:57
S231	700	(user near (attribute interest habit trend criteria))AND (((network AND application ADJ manag\$7))	US-PGPUB; USPAT	OR	ON	2007/09/25 17:58
S232	1	"6078946".pn.	US-PGPUB; USPAT	OR	ON	2007/09/28 10:56
S233	1	"669750".apn.	US-PGPUB; USPAT	OR	ON	2007/09/28 10:56
S234	1	"725298".apn.	US-PGPUB; USPAT	OR	ON	2007/09/28 12:17
S235	0	(capcity near2 map) AND (delay near2 map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:18
S236	0	(capcity near2 map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:18
S237	783143	(network delay near2 map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:19

S238	3	(network ADJ delay) near2 (map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:20
S239	4	(network ADJ capacity) near2 (map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:22
S240	15	(network ADJ parameters) near2 (map\$3)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:22
S241	4104459	9AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/28 12:45
S242	682222	+	US-PGPUB; USPAT	OR	ON	2007/09/28 12:23
S243	8	S240 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/28 12:29
S244	6	S243 AND delay	US-PGPUB; USPAT	OR	ON	2007/09/28 12:42
S245	1	(cluster\$3) WITH (delay AND capacity WITH maps)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:45
S246	262	(cluster\$3) WITH (network WITH maps)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:45
S247	49	S246 AND delay	US-PGPUB; USPAT	OR	ON	2007/09/28 12:45
S248	27	S247 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/28 13:00
S249	0	S248 AND capicity	US-PGPUB; USPAT	OR	ON	2007/09/28 12:46
S250	14	S248 AND capacity	US-PGPUB; USPAT	OR	ON	2007/09/28 12:47
S251	0	(cluster\$3 near2 nodes) SAME (delay AND capacity) WITH maps	US-PGPUB; USPAT	OR	ON	2007/09/28 12:48
S252	4113	(cluster\$3 near2 nodes)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:48
S253	5	(delay near2 map) AND (capacity near2 map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:49
S254	2	S252 AND S253	US-PGPUB; USPAT	OR	ON	2007/09/28 12:49
S255	1	(foward\$3 near2 capacity)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:55
S256	1243	(forward\$3 near2 capacity)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:55
S257	3	(network ADJ delay) near2 (map)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:56
S258	6628	(measurement distance) near2 (nodes)	US-PGPUB; USPAT	OR	ON	2007/09/28 12:59
S259	8938	(measurement distance bandwidth) near2 (nodes)	US-PGPUB; USPAT	OR	ON	2007/09/28 13:00
S260	45	S259 and S252 SAME (map)	US-PGPUB; USPAT	OR	ON	2007/09/28 13:00
S261	31	S260 AND @ad<="20030112"	US-PGPUB; USPAT	OR	ON	2007/09/28 13:00

S262	57773	"709"/\$3.ccls.	US-PGPUB; USPAT	OR	ON	2007/09/28 13:01
S263	17	S262 AND S261	US-PGPUB; USPAT	OR	ON	2007/09/28 13:03
S264	14	S248 AND capacity	US-PGPUB; USPAT	OR	ON	2007/09/28 13:02
S265	2	S264 AND S262	US-PGPUB; USPAT	OR	ON	2007/09/28 13:03
S266	12	S263 AND attribute	US-PGPUB; USPAT	OR	ON	2007/09/28 13:05
S267	0	capacity AND S266	US-PGPUB; USPAT	OR	ON	2007/09/28 13:05
S268	70917	(International ADJ Business ADJ Machines ADJ Corporation).AS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/20 18:34
S269	2	"6151601".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 00:05
S270	2	"20050120105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 11:26
S271	1	"6922699".pn.	US-PGPUB; USPAT	OR	ON	2010/05/31 14:40
S272	2	"7272593".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 14:41

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

5/31/2010 6:35:55 PM

C:\Documents and Settings\amejia\My Documents\EAST\Workspaces\10725298.wsp